

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: magigoo PPGF
- · UFI: U600-K0MR-T00R-556F
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
  No further relevant information available.
- · Application of the substance / the mixture 3D printing adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Thought3D Ltd 146, Triq il Qasam SWQ3026, Swieqi Malta

Phone: +356 99587397

magigoo.com

· Informing department:

Research and development E-Mail: keith@thought3d.com

· 1.4 Emergency telephone number:

Malta Competition and Consumer Affairs Authority (MCCAA)

Mizzi House National Road

Blata I-Bajda HMR 9010

Malta

Phone +356 2395 2000

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether 2-methyl-2H-isothiazol-3-one

(Contd. on page 2)

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

· Hazard statements

(Contd. from page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing mist.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

#### · Description:

Aqueous dispersion of a copolymer not requiring labelling. Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:		
CAS: 124-68-5 EINECS: 204-709-8 Reg.nr.: 01-2119475788-16-X	2-amino-2-methylpropanol  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	< 2.5%
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 01-2119976362-32-X	Isotridecanol, ethoxylated (≥ 2,5 - ≤ 7 EO)  ↑ Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	< 2.5%
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 01-2119976362-32-X	Isotridecanol, ethoxylated (< 2,5 EO)	≥ 1 - < 2.5%
CAS: 3101-60-8 EINECS: 221-453-2 Reg.nr.: 01-2119959496-20-X	p-tert-butylphenyl 1-(2,3-epoxy)propyl ether Aquatic Chronic 2, H411; • Skin Sens. 1, H317	≥ 1 - < 2.5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-X	2-methyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317; STOT SE 3, H335, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥ 0.0015 - < 0.025%

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Take affected persons into the open air.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.

(Contd. on page 3)

(Contd. from page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

· After skin contact

Wash with water and soap.

Remove contaminated clothing.

Wash contaminated clothing before re-use.

In case of skin irritations or sensitizing effects, consult doctor.

· After eve contact

Rinse opened eye for several minutes under running water.

Remove contact lenses if possible.

Use eye protection.

In case of permanent aches and pains please go and see the doctor.

· After swallowing

Rinse out mouth with water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

A symptomatic therapy is to be induced.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

The product itself does not burn.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents None known.
- 5.2 Special hazards arising from the substance or mixture

Inhalation of combustion gases may cause serious health hazards.

During incomplete combustion carbon monoxide can be formed.

Formation of toxic gases is possible during heating or in case of fire.

(Traces)

Hydrogen chloride (HCI)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid direct contact with eyes, skin and clothing.

Do not inhale gases/vapours/aerosols.

Ensure sufficient ventilation.

(Contd. on page 4)

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

(Contd. from page 3)

· Information about protection against explosions and fires: No special measures required.

· Handling

Do not eat, drink or smoke while working.

Wash hands during breaks and at the end of the work.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
  - · Requirements to be met by storerooms and containers:

Keep container tightly closed.

Protect from frost.

· Information about storage in one common storage facility:

Keep away from food, drink and animal feeding stuffs.

Do not store together with textiles.

- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
69011-36-	5 Isotridecanol, ethoxylated (≥ 2,5 - ≤	7 EO)
Oral	DNEL (consumer, long-term, systemic)	25 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	2,080 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	1,250 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	294 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	87 mg/m <sup>3</sup> (human)

#### · PNECs

#### 69011-36-5 Isotridecanol, ethoxylated (≥ 2,5 - ≤ 7 EO)

PNEC aqua (freshwater)

PNEC aqua (marine water)

PNEC STP

0.074 mg/L (.)

0.0074 mg/L (.)

1.4 mg/L (.)

PNEC soil

PNEC sediment (freshwater)

PNEC sediment (marine water)

0.1 mg/kg soil dw (.)

0.604 mg/kg sedim. dw (.)

0.0604 mg/kg sedim. dw (.)

PNEC aqua (intermittent releases) | 0.015 mg/L (.)

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

#### · Appropriate engineering controls

Ensure adequate ventilation, especially in closed rooms.

Draw off vapors and fumes directly at the point of generation or release.

· Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures

Wash hands during breaks and at the end of the work.

Do not eat or drink while working.

Take off all contaminated clothing immediately.

#### · Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

Breathing apparatus suitable for this purpose should be worn when solvent concentration exceeds the maximum workplace concentration values.

(Contd. on page 5)

Revision: 09.06.2021 Printing date 09.06.2021 Version number 1

Trade name: magigoo PPGF

(Contd. from page 4)

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

In case of a layer thickness of 0.2 mm the penetration time is longer than 480 minutes. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses recommended during refilling.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid Colour: Whitish

· Odour: Weak, characteristic · Odour threshold: Not determined. · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 100 °C (7732-18-5 water, distilled, conductivity or

of similar purity) Not applicable. · Flammability

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: Not applicable · Self-inflammability: Product is not selfigniting.

· Decomposition temperature: Not determined.

·SADT

· pH at 20 °C 8.2

· Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: 280 mPas

· Solubility

Water: Fully miscible

· Partition coefficient n-octanol/water (log

Not determined. value)

· Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or

of similar purity)

· Density and/or relative density

· Density at 20 °C 1.02 g/cm<sup>3</sup> · Relative density Not determined. Vapour density Not determined.

(Contd. on page 6)

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

(Contd.	from	page	5)
---------	------	------	----

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

• Explosive properties: Product is not explosive.

· Change in condition

• **Evaporation rate** Not determined.

Information with regard to physical hazard classes

0.40000	
· Explosives	Void
Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
   No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es that are relevant for classification:
69011-36-	5 Isotr	ridecanol, ethoxylated (≥ 2,5 - ≤ 7 EO)
Oral	LD50	> 2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	5,960 mg/kg (rabbit)
Inhalative	LC0	≥ 0.3 mg/l/8h (rat)
2682-20-4	2-met	hyl-2H-isothiazol-3-one
Oral	LD50	120 mg/kg (rat)

(Contd. on page 7)

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

(Contd. from page 6)

Dermal LD50 242 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 69011-36-5 Isotridecanol, ethoxylated (≥ 2,5 - ≤ 7 EO)

EC50 (static) 1.5 mg/l/48h (Daphnia magna) (EU C.2) LC50 2.5 mg/l/96h (Danio rerio) (EU C.1)

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50 0.0695 mg/l/24h (Skeletonema costatum)

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
  - · Additional ecological information:
  - · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· Europe	an waste catalogue
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 13	waste plastic

(Contd. on page 8)

Printing date 09.06.2021 Version number 1 Revision: 09.06.2021

Trade name: magigoo PPGF

(Contd. from page 7)

- · Uncleaned packagings:
- Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport inform	ation
14.1 UN number or ID number · ADR/ADN, IMDG, IATA	Void
14.2 UN proper shipping name · ADR/ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordir IMO instruments	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations
  - · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
  - · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

(Contd. on page 9)

Revision: 09.06.2021 Printing date 09.06.2021 Version number 1

Trade name: magigoo PPGF

(Contd. from page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

Toxic if swallowed. H301 Harmful if swallowed. H302 Toxic in contact with skin. H311 H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

#### Department issuing data specification sheet:

H412

DEKRA This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

#### · Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised  $\dot{S}$ ystem of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3